BAHAGIAN F2
SENARAI KUANTITI

PERKHIDMATAN MEMBEKAL, MENGHANTAR, MEMASANG DAN MENGUJI ALAT KELENGKAPAN MUZIK UNTUK KEGUNAAN MAJLIS BANDARAYA ISKANDAR PUTERI BAGI TAHUN 2025

RINGKASAN SENARAI KUANTITI

BIL.	BAHAGIAN	MUKA SURAT	JUMLAH (RM)
1	**BAHAGIAN A : ALAT KELENGKAPAN MUZIK (A)**	F2/2	
2	**BAHAGIAN B : ALAT KELENGKAPAN MUZIK (B)**	F2/5	
JUMLAH KESELURUHAN			

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A	BAHAGIAN A : ALAT KELENGKAPAN MUZIK (A) Membekal, menghantar, memasang dan menguji alat kelengkapan muzik sebagaimana berikut. Sila semak spesifikasi dan lampiran bergambar yang telah disediakan.				
A.1	CABINET AMPLIFIER FLIGHT CASE • BRAND / MODEL : TO BE ADVISED • COLOR : BLACK • CARRY/TRANSPORT OPTIONS : HANDLE, WHEELS (BUILT-IN) • TYPE OF CLOSURE : LATCH • DIMENSIONS ◦ EXTERIOR : 26.5 X 24 X 14.5" / 67.3 X 60.9 X 36.8 CM ◦ INTERIOR : 20.5 X 12.5 X 12" / 52.1 X 31.8 X 30.5 CM • WEIGHT : 56 LB / 25.4 KG	UNIT	2		
A.2	HEAD AMPLIFIER FLIGHT CASE • BRAND / MODEL : TO BE ADVISED • TYPE : LIFT OFF LID • MATERIAL : 7MM BLACK HEXA BOARD. OTHER COLOURS AVAILABLE (ADD TO BASKET TO VIEW) • INTERIOR DIMENSIONS : CUSTOM BUILT TO SUIT YOUR HEAD • EXTERIOR DIMENSIONS : CUSTOM BUILT TO SUIT YOUR HEAD • FOAM : FOAM LINED IN 20MM HIGH DENSE FOAM • HEAVY DUTY PENN ELCOM FITTINGS • CASTORS: NONE FITTED	UNIT	2		
A.3	AMPLIFIER FLIGHT CASE • BRAND / MODEL : TO BE ADVISED • DURABLE CONSTRUCTION : CONSTRUCTED WITH LAMINATED 3/8" PLYWOOD FOR LONG-LASTING USE. • UNIVERSAL FIT: DESIGNED FOR 1X12 GUITAR AMP COMBOS, OFFERING A VERSATILE SOLUTION. • SMOOTH MOBILITY: EQUIPPED WITH ROLLING 3-1/2" CASTER WHEELS FEATURING BRAKE LOCKS FOR EASY TRANSPORTATION. • ADJUSTABLE DIMENSIONS: THE INTERIOR IS ADJUSTABLE IN LENGTH (18" TO 25.5"), DEPTH (9" TO 13"), AND HEIGHT (16" TO 22"). • OVERALL DIMENSIONS: EXTERIOR MEASURES 27-1/2" X 14-1/2" X 23-3/4".	UNIT	1		
A.4	DRUMSTICK • BRAND / MODEL : TO BE ADVISED • SIZE : 55A • DIAMETER : 531" • LENGTH : 15 7/8" • TAPER : LONG • TIP/HEAD MATERIAL : WOOD • FINISH : LACQUER • TIP SHAPE : BARREL • TYPE : DRUM SET	SET	3		
A.5	DRUM STICK BAG • BRAND / MODEL : TO BE ADVISED • CAPACITY : HOLDS ABOUT 10 PAIRS OF STICKS COMFORTABLY. • INTERNAL DIMENSIONS : 16" X 8" (40.6CM X 20.3CM) • EXTERNAL POCKET DIMENSIONS : 7" X 5.5" (17.8CM X 14.0CM) • WEIGHT: 19.8OZ (560G)	UNIT	1		
A.6	DRUMPAD SOLID STAND FOR ROLAND HPD 20 (HANDSONIC) • BRAND / MODEL : TO BE ADVISED • ITEM WEIGHT : 9.43 POUNDS (4.24 KG) • PRODUCT DIMENSIONS : 28.15 X 6.9 X 5.45 INCHES (71.5 X 17.5 X 13.8 CM) • ITEM MODEL NUMBER : PDS-20 • COLOR : CHROME • BRAND : ROLAND ATAU YANG SETARA DENGANNYA • ITEM DIMENSIONS LXWXH : 28.15 X 6.9 X 5.45 INCHES (71.5 X 17.5 X 13.8 CM) • FINISH TYPE : CHROME • BASE TYPE : LEG	UNIT	1		
A.7	FLIGHT CASE FOR ROLAND HPD 20 (HANDSONIC) • BRAND / MODEL : TO BE ADVISED • CUSTOM MADE CASE : FOR ROLAND HPD-20 WITH MOUNTED ROLAND APC-33 MULTI-CLAMP FROM 7 MM MULTIPLEX PLYWOOD WITH 22 X 22 MM ALUMINIUM EDGES • MILLED FOAM INLAY • 2 DRAWBOLT • 1 FABRIC HANDLE • STEEL BALL CORNERS • ACCESSORY COMPARTMENT FOR POWER SUPPLY • EXTERNAL DIMENSIONS (W X D X H): APPROX. 57.4 X 43.8 X 21.5 CM • WEIGHT: APPROX. 6.1 KG • WEIGHT WITH DRUM PAD: APPROX. 9.5 KG	UNIT	1		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.8	JACK TO JACK INSTRUMENT CABLE • BRAND / MODEL : TO BE ADVISED • OXYGEN-FREE COPPER (OFC) CONDUCTORS • OXYGEN-FREE COPPER (OFC) SPIRAL SHIELDING • PVC OUTER JACKET • SUITABLE IN 5', 10', 15', & 20' LENGTHS • RIGHT ANGLE / STRAIGHT ENDS	UNIT	4		
A.9	ELECTIC AND ACOUSTIC GUITAR CASE • BRAND / MODEL : TO BE ADVISED • INTERNAL DIMENSIONS: 41.5" X 14.5" X 3" (105.4CM X 36.8CM X 7.6CM) • EXTERNAL DIMENSIONS: 44.5" X 18.9" X 5.5" (113.0CM X 48.0CM X 14.0CM) • EXTERNAL POCKET DIMENSIONS: 7" (SHORT) / 17" (TALL) X 15" X 1" (17.8CM / 43.2CM X 38.1CM X 2.5CM) • WEIGHT: 5.5LBS (2.5KG)	UNIT	2		
A.10	TALI GITAR ELEKTRIK • BRAND / MODEL : TO BE ADVISED • CAUGES : .009, .011, .016, .024, .032, .042, SUPER LIGHT • COATING :UNCOATED • NUMBER OF STRINGS : 6 • SET TYPE : SETS • WRAP MATERIAL : NICKEL-PLATED STEEL	SET	12		
A.11	TALI GITAR AKUSTIK (STEEL) • BRAND / MODEL : TO BE ADVISED • EXTRA LIGHT GAUGE : .010, .014, .023, .030, .039, .047 • 80/20 BRONZE • SET TYPE : SETS	SET	12		
A.12	TALI GITAR AKUSTIK (NYLON) • BRAND / MODEL : TO BE ADVISED • GUITAR TYPE : CLASSICAL (NORMAL TENSION) • GAUGES :.028, .032, .040, .029, .035, .043 • CORE MATERIAL : NYLON • WINDING MATERIAL : SILVER-PLATED COPPER • WINDING TYPE : CLASSICAL • MANUFACTURER PART NUMBER : EJ27N	SET	6		
A.13	TALI GITAR BASS (ELEKTRIK) • BRAND / MODEL : TO BE ADVISED • MATERIAL : BRIGHT TONE ROUND WOUNDCOLOUR : SILVER • MODEL NOTE : 1G 2D 3A 4E 5B • PACKAGE CONTENTS : 5 STRINGS ONLY THE ABOVE PACKAGE	SET	6		
A.14	TUNE-BOT STUDIO DRUM TUNER • A HANDS-FREE CLIP-ON DIGITAL DRUM TUNER FOR YOUR ENTIRE KIT • CLIPS ONTO ANY STANDARD DRUM RIM FOR EASY LUG-TO-LUG TUNING • STANDARD AND HIGH-PITCH RANGES ACCOMMODATE DEEP BASS TO HIGH SNARE DRUMS • TUNE YOUR ENTIRE KIT IN MUSICAL INTERVALS • DIFFERENCE MODE AND FILTER MODE IMPROVE TUNING ACCURACY • 4-COLOR DISPLAY IS EASY TO READ AND SIMPLE TO NAVIGATE • SAVE TUNINGS FOR 5 KITS, EACH WITH UP TO 10 DRUMS • BUILT FROM TOUGH PLASTIC TO SURVIVE REGULAR TRAVEL	UNIT	1		
A.15	STAND UP PERFORMER GUITAR STAND • BRAND / MODEL : TO BE ADVISED • WALK UP GUITAR STAND HOLDS YOUR ELECTRIC GUITAR SECURELY IN THE PLAYING POSITION • HEIGHT ADJUSTABLE FROM 27" TO 61" • FELT-LINED INSTRUMENT SUPPORT ARM WON'T HARM YOUR GUITAR'S FINISH • FOLDED LENGTH IS 31" • 7.1 LBS.	UNIT	1		
A.16	STEREO PASSIVE DIRECT BOX • BRAND / MODEL : TO BE ADVISED • ALL-METAL, IMPACT RESISTANT DESIGN • DUAL SAMSON STLX MU-METAL SHIELDED TRANSFORMERS • STEREO/MONO SUM SWITCH • DUAL 3-POSITION 0DB/-10DB/-20DB ATTENUATION SWITCHES • DUAL GROUND LIFT SWITCHES • DUAL 1/4" INPUTS AND THROUGHS • DUAL BALANCED XLR OUTPUTS • NO PHANTOM OR BATTERY POWER REQUIRED • FREQUENCY RESPONSE OF 18HZÂ??40KHZ	UNIT	2		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.17	HEADPHONE WIRED IN-EAR MONITOR • TYPE : CLOSED-BACK DYNAMIC • DRIVER DIAMETER : 40 MM • FREQUENCY RESPONSE : 15 - 20,000 HZ • MAXIMUM INPUT POWER : 700 MW AT 1 KHZ • SENSITIVITY : 96 DB • IMPEDANCE : 47 OHMS • WEIGHT : 190 G (6.7 OZ), WITHOUT CABLE AND CONNECTOR • CABLE : 3.0 M (9.8'), STRAIGHT, LEFT-SIDE EXIT • MAGNET : NEODYMIUM • VOICE COIL : COPPER-CLAD ALUMINUM WIRE • ACCESSORIES INCLUDED : 6.3 MM (1/4") SNAP-ON ADAPTER	UNIT	3		
A.18	SHEET MUSIC STAND • JENAMA : GATOR ATAU SETARA DENGANNYA • MODEL : GFW-MUS-0500 ATAU SETARA • BOOKPLATE MATERIAL:PERFORATED METAL • BOOKPLATE SIZE :18.75" TRAY • COLLAPSIBLE : HEIGHT ADJUSTABLE TO 45" • COLLAPSIBLE LEGS : YES	UNIT	5		
A.19	MICROPHONE STAND • JENAMA : HERCULES ATAU SETARA DENGANNYA • MODEL : MS434B ATAU SETARA • HEIGHT : 970 MM - 1680 MM (38.19" Â?? 66.1") • WEIGHT : 2.4 KG (5.3LBS.) • BASE RADIUS : 340 MM (13.4") • BOOM LENGTH : 780 MM (30.7") • FOLDED SIZE : 95 MM X 95 MM X 950 MM (3.74" X 3.74" X 37.4")	UNIT	2		
A.20	4 GANG TRAILING SOCKET HEAVY DUTY POWER DISTRIBUTION UNIT (5 METRE) • BRAND / MODEL : TO BE ADVISED • COLOR : BLACK • CABLE LENGTH : 5 METRE • NUMBER OF SOCKET : 4 • SOCKET TYPE : UK • CURRENT RATING : 13A	UNIT	3		
JUMLAH KESELURUHAN (BIL A)					

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B	BAHAGIAN B : ALAT KELENGKAPAN MUZIK (B) Membekal, menghantar, memasang dan menguji alat kelengkapan muzik sebagaimana berikut. Sila semak spesifikasi dan lampiran bergambar yang telah disediakan.				
B.1	UPRIGHT DRUM CUSTOM FLIGHTCASE • BRAND / MODEL : TO BE ADVISED • STEEL BALL CORNERS • 3/8" BIRCH HARDWOOD • ALUMINUM TONGUE AND GROOVE • RECESSED SPRING LOADED STEEL HANDLES • HIGH PERFORMANCE ESTER FOAM • STEEL RECESSED TWIST LATCHES • 4" POLYURETHANE LOCKING CASTERS • DOUBLE ANGLE ALUMINUM EDGE TRIMMING • CUSTOMIZED INTERIOR TO PROVIDE A SPACE FOR CYMBALS AND HARDWARE • LIFT-OFF FRONT LID	UNIT	1		
B.2	6-CHANNEL HEADPHONE AMPLIFIER • JENAMA: PRESONUS ATAU SETARA DENGANNYA • MODEL: HP60 ATAU SETARA • NUMBER OF HEADPHONE CHANNELS : 6-CHANNEL • HEADPHONE OUTPUT POWER : 150 MW RMS PER SIDE INTO 60 OHMS (MAX) • ANALOG AUDIO I/O: ◦ 4X 1/4" TRS BALANCED INPUT (2 STEREO PAIR) ◦ 1X 1/4" TRS UNBALANCED STEREO INPUT ◦ 6X 1/4" TRS UNBALANCED HEADPHONE OUTPUT • FREQUENCY RESPONSE ◦ INPUTS: 10 HZ TO 40 KHZ Â±1 DB ◦ OUTPUTS: 10HZ TO 70 KHZ Â±1 DB • THD+N : < 0.05% • RACKMOUNT SIZE : 1 RU • DIMENSIONS : 19 X 5.5 X 1.75" / 483 X 140 X 44 MM • WEIGHT: 5.0 LB / 2.3 KG	UNIT	1		
B.3	RACKMOUNTABLE DIGITAL AUDIO MIXER • JENAMA : YAMAHA ATAU SETARA DENGANNYA • MODEL : TF-RACK ATAU SETARA • 16 ANALOG XLR/TRS COMBO MIC/LINE INPUTS • 16 ANALOG OUTPUTS (8-XLR & 8-TRS) • AUX BUSES : 20 (8 MONO + 6 STEREO) • INPUT CHANNEL FUNCTIONS : 8 DCA GROUPS • I/O INPUTS: 16 MIC/LINE (XLR/TRS COMBO) + 1 STEREO LINE (RCA PIN) • OUTPUTS : 16 (XLR) • POWER REQUIREMENTS : 100 - 240 VAC 50/60 HZ • POWER CONSUMPTION : 85 W • ANALOG INPUT TERMINALS : INPUT 1-16, ST IN 1,2 • GAIN : -6 DB / +66 DB (INPUT 1-16) • DIMENSIONS : 18.9 X 5.2 X 16.1" / 48.0 X 13.2 X 40.9 CM • NET WEIGHT : 20.3 LB / 9.2 KG	UNIT	1		
B.4	2000W 10 INCH 2-WAY ACTIVE POWERED SPEAKER WITH STAND AND CABLE • JENAMA : ALTO ATAU SETARA DENGANNYA • MODEL : TRUESONIC 4 TS410-P1 ATAU SETARA • POWERED : YES • POWER CONFIGURATION : BI-AMPED • CHANNELS : 3-CHANNEL MIXER • LF DRIVER SIZE : 10" WOOFER • HF DRIVER SIZE : 1" CERAMIC DRIVER • LF DRIVER POWER AMP : 650W • HF DRIVER POWER AMP : 350W • TOTAL POWER : 200W • INPUTS : 2 X XLR-1/4" COMBO • OUTPUTS : 1 X XLR • USB : 1 X TYPE A • BLUETOOTH : YES • WIRELESS : BLUETOOTH • FREQUENCY RANGE : 48HZ-20KHZ (-10 DB) • FREQUENCY RESPONSE : 57HZ-20KHZ • CROSSOVER FREQUENCY : 2KHZ • MAXIMUM PEAK SPL : 130 DB (PEAK), 127 DB (CONTINUOUS) • HORIZONTAL COVERAGE ANGLE : 90Â° • VERTICAL COVERAGE ANGLE : 60Â° • SIGNAL PROCESSING : DSP PRESETS • SOFTWARE : REMOTE APP • ENCLOSURE MATERIAL : INJECTED MOLDED ENCLOSURE AND PERFORATED METAL GRILLE	UNIT	2		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B.5	GUITAR MULTI-EFFECT PEDAL • JENAMA : BOSS ATAU SETARA DENGANNYA • MODEL : GT1000 ATAU SETARA • PEDAL TYPE : MULTI-FX • NUMBER OF EFFECTS : 116 • EFFECTS TYPES : REVERB, DELAY, PITCH SHIFTER, OCTAVE, FLANGER, PHASER, TREMOLO, VIBRATO, HARMONIST, CHORUS, AUTO WAH, COMPRESSOR AND MORE • AMP MODELING : YES • LOOPER : UP TO 38 SECONDS • INPUTS : 1 X 1/4" (INSTRUMENT), 2 X 1/4" (RETURN) • OUTPUTS : 2 X 1/4" (MAIN OUT), 2 X 1/4" (SEND), 2 X XLR (SUB OUT) • MIDI I/O : IN/OUT • USB : 1 X TYPE B • BLUETOOTH : YES • HEADPHONES : 1 X 1/4" • OTHER I/O : 3 X 1/4" (CONTROL/EXPRESSION, AMP CONTROL) • EXPRESSION CONTROL : BUILT-IN • COMPATIBILITY : PC, ANDROID, IOS • POWER SOURCE : 9V DC POWER SUPPLY (INCLUDED) • POWER USAGE : 1200MA • HEIGHT : 2.75" • WIDTH : 18.18" • DEPTH : 9.76" • WEIGHT : 7.93 LBS.	UNIT	1		
B.6	GUITAR MULTI-EFFECT PEDAL • JENAMA: HEADRUSH ATAU SETARA DENGANNYA • MODEL: PRIME ATAU SETARA • FOOTSWITCHES: 12Ã? FOOTSWITCHES WITH COLOUR LEDS & OLED DISPLAYS • PEDALS: 1Ã? EXPRESSION PEDAL • KNOBS: 1Ã? 300Â° MAIN VOLUME KNOB, 1Ã? 300Â° PHONES VOLUME KNOB, 1Ã? 300Â° AUXILARY VOLUME KNOB, 1Ã? 360Â° NAVITAGION/DATA ENCORDER, 3Ã? 360Â° PARAMETER ENCORDERS • CONNECTORS: 1/4Â?• (6.35 MM) TS INPUT (GUITAR) XLR / 1/4" (6.35 MM) INPUT (MICROPHONE), 1/4Â?• (6.35 MM) TRS INPUT (EXPRESSION PEDAL), 1/4Â?• (6.35 MM) TS INPUT (EXPRESSION PEDAL TOE SWITCH) 1/8Â?• (3.5 MM) STEREO INPUT (AUXILIARY DEVICE), 1/4Â?• (6.35 MM) TRS OUTPUT (EXTERNAL AMP FOOTSWITCH) 1/4Â?• (6.35 MM) STEREO PAIR OUTPUTS, XLR STEREO PAIR OUTPUTS, 1/8Â?• (3.5 MM) STEREO HEADPHONE OUTPUT, 1/4Â?• (6.35 MM) TRS INPUT (FX SEND), 1/4Â?• (6.35 MM) TRS OUTPUT (FX RETURN), (1) 5-PIN MIDI INPUT, (1) 5-PIN MIDI OUTPUT, USB TYPE-A PORT, USB TYPE-B PORT POWER: IEC CABLE, 100Â??240 V, 50/60 HZ, 1.2 A • INCLUDES: HEADRUSH PRIME, USB CABLE, POWER CABLE • SOFTWARE DOWNLOAD CARD QUICKSTART GUIDE, SAFETY & WARRANTY MANUAL • DIMENSIONS: 25.68Â?• (W) Ã? 12.12Â?• (D) Ã? 3.24Â?• (H) / 65.23 CM (W) Ã? 30.78 CM (D) Ã? 8.23 CM (H) • WEIGHT: 7.50 KG / 16.53 LBS.	UNIT	1		
JUMLAH KESELURUHAN (BIL B)					