BAHAGIAN F2
SENARAI KUANTITI

MEMBEKAL, MENGHANTAR, MEMASANG DAN MENGUJI PERALATAN ELEKTRIK SERTA PERALATAN PEJABAT BAGI KEPERLUAN MAJLIS BANDARAYA ISKANDAR PUTERI TAHUN 2025

RINGKASAN SENARAI KUANTITI

BIL.	BAHAGIAN	MUKA SURAT	JUMLAH (RM)
1	**PERALATAN ELEKTRIK**	F2/2	
2	**PERALATAN PEJABAT**	F2/5	
JUMLAH KESELURUHAN			

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A	PERALATAN ELEKTRIK				
A.1	MESIN LAMINASI (A) JENAMA : GBC ATAU SETARA MODEL : GBC FUSION 7000L A3 LAMINATOR ATAU SETARA SPESIFIKASI : • NUMBER OF ROLLER: 6 • LAMINATES FROM ID SIZE TO A3 (303MM) • DIMENSION: 578 X 235 X 121 MM • AUTO SHUT OFF AFTER 30 MINUTES OF INACTIVITY • POUCH CAPACITY: 75-250 MICRONS	UNIT	3		
A.2	MESIN LAMINASI (B) JENAMA : MKP ATAU SETARA MODEL : DX-1133 ATAU SETARA SPESIFIKASI : • LAMINATING PAPER SIZE UP TO A3 SIZE (320MM) • LAMINATE POUCH THICKNESS 1MM ~ 1.25MM • 4 PCS OF 26.5MM DIAMETER ROLLER • 2 HEATED ROLLER SYSTEM • MACHINE SIZE (MM) :500 X 210 X 100 • READY TIME : 4MIN	UNIT	3		
A.3	MESIN PEMUSNAH KERTAS JENAMA : HSM ATAU SETARA SECURIO B24CC MODEL : SECURIO B24CC ATAU SETARA SPESIFIKASI : • CUTTING TYPE: MICRO CUT • SHREDDED SIZE : 1.9X15MM (LEVEL 5) • PAPER INTAKE WIDTH : 240MM • DIMENSIONS WXDXH : 395 X 317 X 605MM • CONTAINER VOLUME : 35 LITRES • PAPER SHREDDING CAPACITY (70GMS): 11-13 SHEETS	UNIT	3		
A.4	MESIN BINDING ELEKTRIK JENAMA : VALUESCAN ATAU SETARA MODEL : EB30 ATAU SETARA SPESIFIKASI : • ELECTRIC PUNCHING & MANUAL BINDING • PUNCHING CAPACITY : 30 SHEETS (70GMS) • BINDING CAPACITY : 400 SHEETS (70GMS) • FOOT PEDAL OPERATION	UNIT	1		
A.5	MESIN BINDING MANUAL JENAMA : DELI ATAU SETARA MODEL : 3870 ATAU SETARA SPESIFIKASI : • PUNCHING CAPACITY: 12 SHEETS / TIME • BINDING CAPACITY: 350 SHEETS / TIME • NUMBER OF PUNCHING HOLES: 21 HOLES • PAPER WIDTH: A4, A5 • DIMENSIONS: 370 * 260 * 235MM	UNIT	2		
A.6	PERAKAM SUARA (A) JENAMA : SONY ATAU SETARA MODEL : ICD-UX570F ATAU SETARA SPESIFIKASI : • RECORD IN MP3/LPCM WITH A HIGH SENSITIVITY S-MICROPHONE • UP TO 4GB OF BUILT-IN STORAGE, EXPANDABLE VIA MICROSD • AUTO VOICE RECORDING REDUCES BACKGROUND NOISE • DIRECT USB BUILT-IN FOR EASY CONNECTION TO PC • BUILT-IN LITHIUM BATTERY WITH 3-MINUTE QUICK CHARGE FOR 1 HOUR OF RECORDING • COME WITH POUCH	UNIT	4		
A.7	PERAKAM SUARA (B) JENAMA : ZOOM ATAU SETARA MODEL : H1N ATAU SETARA SPESIFIKASI : • AUDIO INTERFACE: 2 X 2 SD RECORDER • BUILT-IN SPEAKER • USB:1 X TYPE MICRO-B • FILE FORMAT:WAV, MP3 • BUILT-IN MIC	UNIT	1		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.8	LASER POINTER JENAMA : LOGITECH ATAU SETARA MODEL : R400 ATAU SETARA SPESIFIKASI : • BUILT-IN SLIDESHOW BUTTONS • 50-FOOT EFFECTIVE RANGE WITH 2.4 GHZ WIRELESS TECHNOLOGY • RED LASER POINTER WITH LED INDICATOR • PLUG-AND-PLAY, NO SOFTWARE REQUIRED • STORABLE RECEIVER AND CARRYING CASE • BATTERY-POWER INDICATOR • ON/OFF SWITCH • USB PORT	UNIT	2		
A.9	RECHARGEABLE FLASH FLOOD LIGHT-WHITE OUTDOOR SPESIFIKASI : • LAMP POWER: 300W • LIGHT COLOR: WHITE • IP RATING: IP65 • BEAM ANGLE(Â°): 120 • COLOUR: BLACK • INPUT/CHARGE VOLTAGE(V): 5V • CHARGING TIME: 5 HOURS • WORKING TIME: 6-10 HOURS • LIGHT SOURCE: LED • LAMP BODY MATERIAL: DIE CAST ALUMINIUM • WORKING LIFETIME (HOUR): 50,000	UNIT	4		
A.10	TELEVISION (A) JENAMA : SONY ATAU SETARA MODEL : KD-65X75K ATAU SETARA SPESIFIKASI : • LED TVS • SCREEN SIZE: 65" • SCREEN DEFINITION: 4K ULTRA HD • NO. OF HDMI: 3 • NO. OF USB: 2 • DISPLAY RESOLUTION: 3,840 X 2,160 • SMART PLATFORM: GOOGLE TV • CONNECTIVITY: WIFI + ETHERNET(LAN)	UNIT	2		
A.11	PORTABLE TV TROLLEY STAND SPESIFIKASI : • COMPATIBLE SCREEN SIZE: 32-65 INCH • ROTATE: 90 DEGREE (VERTICAL/HORIZONTAL) • SHELF EQUIPPED • COLOR: BLACK • MATERIAL: COLD ROLLED STEEL • SHELF HEIGHT: ADJUSTABLE • TV HEIGHT: ADJUSTABLE • LOAD CAPACITY: 60KG	UNIT	2		
A.12	TELEVISION (B) JENAMA : LG ATAU SETARA MODEL :LG QNED80 AI TV ATAU SETARA SPESIFIKASI : • DISPLAY SIZE: 75" • 4K QNED • 60HZ NATIVE • Î±5 AI PROCESSOR 4K GEN7 • HDR10 / HLG	UNIT	2		
A.13	KIPAS DINDING JENAMA : KDK ATAU SETARA MODEL : KU50Y-DG ATAU SETARA SPESIFIKASI : • BLADE SIDE (INCHES) : 20 • COLOR : DARK GREY • POWER CONSUMPTION (W) : 70 • NUMBER OF BLADES : 3	UNIT	5		
A.14	GLASS CHILLER SPESIFIKASI : • SIZE: 1200W X 502D X 750H MM • CAPACITY: 120L • TEMPERATURE RANGE 0Ã?Â°C Ã¢Â?¬Â?? 8Ã?Â°C • DEFROST SYSTEM • INTERNAL LED	UNIT	1		
A.15	ROLLING EXTENSION (25 METER) JENAMA : MASTERPLUG ATAU SETARA MODEL : PRO-XT ATAU SETARA SPESIFIKASI : • CABLE LENGTH 25M • OPEN REEL • POWER LED INDICATOR • 4 SOCKETS	UNIT	4		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.16	ROLLING EXTENSION (15 METER) JENAMA : MASTERPLUG ATAU SETARA MODEL : PRO-XT ATAU SETARA SPESIFIKASI : • CABLE LENGTH 15M • CASSETTE CABLE REEL • POWER LED INDICATOR • 4 SOCKETS	UNIT	3		
A.17	EXTENSION TRAILING SOCKET (5M) SPESIFIKASI : • 5-WAY EXTENSION TRAILING SOCKET • NEON INDICATOR • SURGE PROTECTOR • EASY FOR 2 PIN PLUG • INDIVIDUALLY SWITCHED SOCKETS • POWER: 3000W • SIZE: L5M X D1.25MM (CABLE)	UNIT	11		
A.18	EXTENSION PLUG ADAPTOR SPESIFIKASI : • 5-IN-1 PLUG EXTENSION: 2 UK SOCKET, 1 USB C-PORT, 2 USB-A PORTS • POWER RATING: 3250W (MAX 250V, 13A) • USB OUTPUT: 5V/2.4A (TOTAL) • USB-C: 5V/3A 15W • FUSE INSIDE: 13A	UNIT	5		
A.19	EXTENSION MULTIPLE SOCKET (8M) SPESIFIKASI : • DUAL TYPE-C USB PD • USB SOCKET: 3 • AC SOCKET: 5 • RATED POWER: 2000 - 3000W • CABLE LENGTH: 8 METER • MATERIAL COMPOSITION: EXPLOSION-PROOF MATERIAL	UNIT	3		
JUMLAH KESELURUHAN (BIL A)					

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B	PERALATAN PEJABAT				
B.1	LASER CUTTER JENAMA : ORTUR ATAU SETARA MODEL : LASER MASTER 3 ATAU SETARA SPESIFIKASI : • MACHINE SIZE: 580 X 550 X 150MM • ENGRAVING AREA: 400X400MM • 10W LASER MODULE • ENGRAVING SPEED: 20000MM/MIN • ENGRAVABLE MATERIAL: WOOD, ACRYLIC, LEATHER, METAL, CERAMICS, FABRICS, CYLINDER, FOOD, TINTED GLASS, STAINLESS STEEL, PAPER, CARDBOARD	UNIT	1		
B.2	STAPLER HEAVY DUTY JENAMA : MAX ATAU SETARA MODEL : HD 12N/24N ATAU SETARA SPESIFIKASI : • DIMENSIONS(MM): 390(L) X 250(H) X 90(W) • STAPLING CAPACITY : 50-240 SHEETS • LOADING CAPACITY: 100PCS OF STAPLES • STAPLE USED: 1213FA-H, 1217FA-H, 1220FA-H AND 1224FA-H	UNIT	8		
B.3	SINGLE HOLE PUNCHER JENAMA : KANGARO ATAU SETARA MODEL : HDP-1320 ATAU SETARA SPESIFIKASI : • PUNCHING CAPACITY :300 SHEETS • EDGE PAPER: 5MM - 15MM ADJUSTABLE • PUNCHING DIA: 6.00 MM • GUIDE BAR • ONE HOLE PUNCH	UNIT	1		
B.4	PUNCHER HEAVY DUTY JENAMA : CARL ATAU SETARA MODEL : HD-410N ATAU SETARA SPESIFIKASI : • STAPLE TYPE: PUNCHES • PUNCHING UP TO100 SHEETS (80GSM) • DIMENSION: W164 X L241 X H140 (MM) • WEIGHT: 2.5KG • NO. OF HOLES: 2-HOLE	UNIT	6		
B.5	PAPER CUTTER (A) JENAMA : REXEL ATAU SETARA MODEL : CLASSICCUT 1710W ATAU SETARA SPESIFIKASI : • TYPE: GUILLOTINE • CUT LENGTH: 457MM (A3) • CUT CAPACITY: 10 SHEETS 80G • COMES WITH 3 AAA BATTERIES • EDGEGLOW LED LIGHT GUIDE • ACRYLIC SAFETY GUARD AND SAFETY LATCH	UNIT	1		
B.6	PAPER CUTTER (B) SPESIFIKASI : • A3 PAPER • PAPER ADJUSTER INCLUDED • AUTO PAPER PRESSING BAR • PAPER SIZE INDICATOR • CUTTING CAPACITY : APPROX. 12 SHEETS • DIMENSION : 612 X 384 X 60 MM	UNIT	1		
B.7	ACRYLIC STAND A4 SPESIFIKASI : • MATERIAL: ACRYLIC TRANSPARENT • SIZE: 297MM X 210MM (A4) • TYPE: ACRYLIC DISPLAY STAND (VERTICAL SLANTED L SHAPE)	UNIT	5		
B.8	ACRYLIC DISPLAY HOLDER SPESIFIKASI : • MATERIAL : TRANSPARENT ACRYLIC • DIMENSION (H X L) 7 CM X 10 CM • SLANTED L SHAPED	UNIT	100		
B.9	DOCUMENT DRAWER JENAMA : FELTON ATAU SETARA MODEL : FDD8575 ATAU SETARA SPESIFIKASI : • SIZE: 257W X 340D X 220H (MM) • 5 TIER • COLOUR : GREY / BLACK	UNIT	15		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B.10	STORAGE BOX WITH WHEEL JENAMA : CENTURY ATAU SETARA MODEL : 7611 ATAU SETARA SPESIFIKASI : • SIZE: L51.5 X W36 X H29.6 (CM) • CAPACITY: 30 LITRES • STACKABLE, WITH HANDLE, WITH LID • MATERIAL: PLASTIC • WITH WHEEL	UNIT	15		
B.11	CABLE PROTECTOR RAMP SPESIFIKASI : • MATERIAL: RUBBER • SIZE: 3 LINE (300W X 50H MM) • WEIGHT: 3 LINE (6KG) • INNER SLOT : 2 & 3 CHANNEL, 32MM X 32MM	UNIT	10		
B.12	CARPET WIRE PROTECTOR SPESIFIKASI : • MATERIAL: POLYESTER • SIZE: WIDTH 100MM, LENGTH 3M • TYPE: ACRYLIC DISPLAY STAND (VERTICAL)	UNIT	10		
B.13	HYDRAULIC TABLE LIFT JENAMA : EZYLIF ATAU SETARA MODEL : 24SR050 ATAU SETARA SPESIFIKASI : • LOAD CAPACITY : 500KG • TABLE DIMENSION : 810 X 500 X 50MM • TABLE HEIGHT : MIN 300MM ~ MAX 900MM • FOOT OPERATED HYDRAULIC LIFTING PEDAL • HAND OPERATED QUICK RELEASE LOWERING LEVER	UNIT	2		
B.14	BEG GALAS SPESIFIKASI : • WARNA: HITAM • WATERPROOF • SAIZ: 55CM X 35CM X 20CM (HXLXW) • CETAKAN PADA BEG (JENIS PATCH): ◦ LOGO MBIP ◦ JABATAN KESIHATAN AWAM MAJLIS BANDARAYA ISKANDAR PUTERI - 6 UNIT ◦ JABATAN PELESENAN MAJLIS BANDARAYA ISKANDAR PUTERI - 5 UNIT	UNIT	11		
B.15	REPLACEMENT SET FOR KW-TRIO (NO. 09520) SPESIFIKASI : • KOD: 01300214 • REPLACEMENT CUTTER SET FOR 09520 • 2 CUTTERS AND 4 DISCS IN A PACK	UNIT	6		
JUMLAH KESELURUHAN (BIL B)					