

MEMBEKAL, MENGHANTAR, MEMASANG DAN MENGUJI PERALATAN ELEKTRIK SERTA PERALATAN PEJABAT BAGI KEPERLUAN
MAJLIS BANDARAYA ISKANDAR PUTERI TAHUN 2025

RINGKASAN SENARAI KUANTITI

BIL.	BAHAGIAN	MUKA SURAT	JUMLAH (RM)
1	PERALATAN ELEKTRIK	2/8	
2	PERALATAN PEJABAT	6/8	
JUMLAH KESELURUHAN			

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A	PERALATAN ELEKTRIK				
A.1	MESIN LAMINASI (A) JENAMA : GBC ATAU SETARA MODEL : GBC FUSION 7000L A3 LAMINATOR ATAU SETARA SPESIFIKASI : • NUMBER OF ROLLER: 6 • LAMINATES FROM ID SIZE TO A3 (303MM) • DIMENSION: 578 X 235 X 121 MM • AUTO SHUT OFF AFTER 30 MINUTES OF INACTIVITY • POUCH CAPACITY: 75-250 MICRONS	UNIT	3		
A.2	MESIN LAMINASI (B) JENAMA : MKP ATAU SETARA MODEL : DX-1133 ATAU SETARA SPESIFIKASI : • LAMINATING PAPER SIZE UP TO A3 SIZE (320MM) • LAMINATE POUCH THICKNESS 1MM ~ 1.25MM • 4 PCS OF 26.5MM DIAMETER ROLLER • 2 HEATED ROLLER SYSTEM • MACHINE SIZE (MM) :500 X 210 X 100 • READY TIME : 4MIN	UNIT	3		
A.3	MESIN PEMUSNAH KERTAS JENAMA : HSM ATAU SETARA SECURIO B24CC MODEL : SECURIO B24CC ATAU SETARA SPESIFIKASI : • CUTTING TYPE: MICRO CUT • SHREDDED SIZE : 1.9X15MM (LEVEL 5) • PAPER INTAKE WIDTH : 240MM • DIMENSIONS WXD XH : 395 X 317 X 605MM • CONTAINER VOLUME : 35 LITRES • PAPER SHREDDING CAPACITY (70GMS): 11-13 SHEETS	UNIT	3		
A.4	MESIN BINDING ELEKTRIK JENAMA : VALUESCAN ATAU SETARA MODEL : EB30 ATAU SETARA SPESIFIKASI : • ELECTRIC PUNCHING & MANUAL BINDING • PUNCHING CAPACITY : 30 SHEETS (70GMS) • BINDING CAPACITY : 400 SHEETS (70GMS) • FOOT PEDAL OPERATION	UNIT	1		
A.5	MESIN BINDING MANUAL JENAMA : DELI ATAU SETARA MODEL : 3870 ATAU SETARA SPESIFIKASI : • PUNCHING CAPACITY: 12 SHEETS / TIME • BINDING CAPACITY: 350 SHEETS / TIME • NUMBER OF PUNCHING HOLES: 21 HOLES • PAPER WIDTH: A4, A5 • DIMENSIONS: 370 * 260 * 235MM	UNIT	2		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.6	PERAKAM SUARA (A) JENAMA : SONY ATAU SETARA MODEL : ICD-UX570F ATAU SETARA SPESIFIKASI : • RECORD IN MP3/LPCM WITH A HIGH SENSITIVITY S-MICROPHONE • UP TO 4GB OF BUILT-IN STORAGE, EXPANDABLE VIA MICROSD • AUTO VOICE RECORDING REDUCES BACKGROUND NOISE • DIRECT USB BUILT-IN FOR EASY CONNECTION TO PC • BUILT-IN LITHIUM BATTERY WITH 3-MINUTE QUICK CHARGE FOR 1 HOUR OF RECORDING • COME WITH POUCH	UNIT	4		
A.7	PERAKAM SUARA (B) JENAMA : ZOOM ATAU SETARA MODEL : H1N ATAU SETARA SPESIFIKASI : • AUDIO INTERFACE: 2 X 2 SD RECORDER • BUILT-IN SPEAKER • USB:1 X TYPE MICRO-B • FILE FORMAT:WAV, MP3 • BUILT-IN MIC	UNIT	1		
A.8	LASER POINTER JENAMA : LOGITECH ATAU SETARA MODEL : R400 ATAU SETARA SPESIFIKASI : • BUILT-IN SLIDESHOW BUTTONS • 50-FOOT EFFECTIVE RANGE WITH 2.4 GHZ WIRELESS TECHNOLOGY • RED LASER POINTER WITH LED INDICATOR • PLUG-AND-PLAY, NO SOFTWARE REQUIRED • STORABLE RECEIVER AND CARRYING CASE • BATTERY-POWER INDICATOR • ON/OFF SWITCH • USB PORT	UNIT	2		
A.9	RECHARGEABLE FLASH FLOOD LIGHT-WHITE OUTDOOR SPESIFIKASI : • LAMP POWER: 300W • LIGHT COLOR: WHITE • IP RATING: IP65 • BEAM ANGLE(Â°): 120 • COLOUR: BLACK • INPUT/CHARGE VOLTAGE(V): 5V • CHARGING TIME: 5 HOURS • WORKING TIME: 6-10 HOURS • LIGHT SOURCE: LED • LAMP BODY MATERIAL: DIE CAST ALUMINIUM • WORKING LIFETIME (HOUR): 50,000	UNIT	4		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.10	TELEVISION (A) JENAMA : SONY ATAU SETARA MODEL : KD-65X75K ATAU SETARA SPESIFIKASI : • LED TVS • SCREEN SIZE: 65" • SCREEN DEFINITION: 4K ULTRA HD • NO. OF HDMI: 3 • NO. OF USB: 2 • DISPLAY RESOLUTION: 3,840 X 2,160 • SMART PLATFORM: GOOGLE TV • CONNECTIVITY: WIFI + ETHERNET(LAN)	UNIT	2		
A.11	PORTABLE TV TROLLEY STAND SPESIFIKASI : • COMPATIBLE SCREEN SIZE: 32-65 INCH • ROTATE: 90 DEGREE (VERTICAL/HORIZONTAL) • SHELF EQUIPPED • COLOR: BLACK • MATERIAL: COLD ROLLED STEEL • SHELF HEIGHT: ADJUSTABLE • TV HEIGHT: ADJUSTABLE • LOAD CAPACITY: 60KG	UNIT	2		
A.12	TELEVISION (B) JENAMA : LG ATAU SETARA MODEL :LG QNED80 AI TV ATAU SETARA SPESIFIKASI : • DISPLAY SIZE: 75" • 4K QNED • 60HZ NATIVE • 15 AI PROCESSOR 4K GEN7 • HDR10 / HLG	UNIT	2		
A.13	KIPAS DINDING JENAMA : KDK ATAU SETARA MODEL : KU50Y-DG ATAU SETARA SPESIFIKASI : • BLADE SIDE (INCHES) : 20 • COLOR : DARK GREY • POWER CONSUMPTION (W) : 70 • NUMBER OF BLADES : 3	UNIT	5		
A.14	GLASS CHILLER SPESIFIKASI : • SIZE: 1200W X 502D X 750H MM • CAPACITY: 120L • TEMPERATURE RANGE 0Â°C - 8Â°C • DEFROST SYSTEM • INTERNAL LED	UNIT	1		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
A.15	ROLLING EXTENSION (25 METER) JENAMA : MASTERPLUG ATAU SETARA MODEL : PRO-XT ATAU SETARA SPESIFIKASI : • CABLE LENGTH 25M • OPEN REEL • POWER LED INDICATOR • 4 SOCKETS	UNIT	4		
A.16	ROLLING EXTENSION (15 METER) JENAMA : MASTERPLUG ATAU SETARA MODEL : PRO-XT ATAU SETARA SPESIFIKASI : • CABLE LENGTH 15M • CASSETTE CABLE REEL • POWER LED INDICATOR • 4 SOCKETS	UNIT	3		
A.17	EXTENSION TRAILING SOCKET (5M) SPESIFIKASI : • 5-WAY EXTENSION TRAILING SOCKET • NEON INDICATOR • SURGE PROTECTOR • EASY FOR 2 PIN PLUG • INDIVIDUALLY SWITCHED SOCKETS • POWER: 3000W • SIZE: L5M X D1.25MM (CABLE)	UNIT	11		
A.18	EXTENSION PLUG ADAPTOR SPESIFIKASI : • 5-IN-1 PLUG EXTENSION: 2 UK SOCKET, 1 USB C-PORT, 2 USB-A PORTS • POWER RATING: 3250W (MAX 250V, 13A) • USB OUTPUT: 5V/2.4A (TOTAL) • USB-C: 5V/3A 15W • FUSE INSIDE: 13A	UNIT	5		
A.19	EXTENSION MULTIPLE SOCKET (8M) SPESIFIKASI : • DUAL TYPE-C USB PD • USB SOCKET: 3 • AC SOCKET: 5 • RATED POWER: 2000 - 3000W • CABLE LENGTH: 8 METER • MATERIAL COMPOSITION: EXPLOSION-PROOF MATERIAL	UNIT	3		
JUMLAH KESELURUHAN (BIL A)					

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B	PERALATAN PEJABAT				
B.1	LASER CUTTER JENAMA : ORTUR ATAU SETARA MODEL : LASER MASTER 3 ATAU SETARA SPESIFIKASI : - MACHINE SIZE: 580 X 550 X 150MM - ENGRAVING AREA: 400X400MM 10W LASER MODULE - ENGRAVING SPEED: 20000MM/MIN - ENGRAVABLE MATERIAL: WOOD, ACRYLIC, LEATHER, METAL, CERAMICS, FABRICS, CYLINDER, FOOD, TINTED GLASS, STAINLESS STEEL, PAPER, CARDBOARD	UNIT	1		
B.2	STAPLER HEAVY DUTY JENAMA : MAX ATAU SETARA MODEL : HD 12N/24N ATAU SETARA SPESIFIKASI : - DIMENSIONS(MM): 390(L) X 250(H) X 90(W) - STAPLING CAPACITY : 50-240 SHEETS - LOADING CAPACITY: 100PCS OF STAPLES - STAPLE USED: 1213FA-H, 1217FA-H, 1220FA-H AND 1224FA-H	UNIT	8		
B.3	SINGLE HOLE PUNCHER JENAMA : KANGARO ATAU SETARA MODEL : HDP-1320 ATAU SETARA SPESIFIKASI : - PUNCHING CAPACITY :300 SHEETS - EDGE PAPER: 5MM - 15MM ADJUSTABLE - PUNCHING DIA: 6.00 MM - GUIDE BAR - ONE HOLE PUNCH	UNIT	1		
B.4	PUNCHER HEAVY DUTY JENAMA : CARL ATAU SETARA MODEL : HD-410N ATAU SETARA SPESIFIKASI : - STAPLE TYPE: PUNCHES - PUNCHING UP TO100 SHEETS (80GSM) - DIMENSION: W164 X L241 X H140 (MM) - WEIGHT: 2.5KG - NO. OF HOLES: 2-HOLE	UNIT	6		
B.5	PAPER CUTTER (A) JENAMA : REXEL ATAU SETARA MODEL : CLASSICCUT 1710W ATAU SETARA SPESIFIKASI : - TYPE: GUILLOTINE - CUT LENGTH: 457MM (A3) - CUT CAPACITY: 10 SHEETS 80G - COMES WITH 3 AAA BATTERIES - EDGEGLow LED LIGHT GUIDE - ACRYLIC SAFETY GUARD AND SAFETY LATCH	UNIT	1		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B.6	PAPER CUTTER (B) SPESIFIKASI : • A3 PAPER • PAPER ADJUSTER INCLUDED • AUTO PAPER PRESSING BAR • PAPER SIZE INDICATOR • CUTTING CAPACITY : APPROX. 12 SHEETS • DIMENSION : 612 X 384 X 60 MM	UNIT	1		
B.7	ACRYLIC STAND A4 SPESIFIKASI : • MATERIAL: ACRYLIC TRANSPARENT • SIZE: 297MM X 210MM (A4) • TYPE: ACRYLIC DISPLAY STAND (VERTICAL SLANTED L SHAPE)	UNIT	5		
B.8	ACRYLIC DISPLAY HOLDER SPESIFIKASI : • MATERIAL : TRANSPARENT ACRYLIC • DIMENSION (H X L) 7 CM X 10 CM • SLANTED L SHAPED	UNIT	100		
B.9	DOCUMENT DRAWER JENAMA : FELTON ATAU SETARA MODEL : FDD8575 ATAU SETARA SPESIFIKASI : • SIZE: 257W X 340D X 220H (MM) • 5 TIER • COLOUR : GREY / BLACK	UNIT	15		
B.10	STORAGE BOX WITH WHEEL JENAMA : CENTURY ATAU SETARA MODEL : 7611 ATAU SETARA SPESIFIKASI : • SIZE: L51.5 X W36 X H29.6 (CM) • CAPACITY: 30 LITRES • STACKABLE, WITH HANDLE, WITH LID • MATERIAL: PLASTIC • WITH WHEEL	UNIT	15		
B.11	CABLE PROTECTOR RAMP SPESIFIKASI : • MATERIAL: RUBBER • SIZE: 3 LINE (300W X 50H MM) • WEIGHT: 3 LINE (6KG) • INNER SLOT : 2 & 3 CHANNEL, 32MM X 32MM	UNIT	10		
B.12	CARPET WIRE PROTECTOR SPESIFIKASI : • MATERIAL: POLYESTER • SIZE: WIDTH 100MM, LENGTH 3M • TYPE: ACRYLIC DISPLAY STAND (VERTICAL)	UNIT	10		

BIL.	KETERANGAN	UNIT	KUANTITI	KADAR (RM)	AMAUN (RM)
B.13	HYDRAULIC TABLE LIFT JENAMA : EYZLIF ATAU SETARA MODEL : 24SR050 ATAU SETARA SPESIFIKASI : • LOAD CAPACITY : 500KG • TABLE DIMENSION : 810 X 500 X 50MM • TABLE HEIGHT : MIN 300MM – MAX 900MM • FOOT OPERATED HYDRAULIC LIFTING PEDAL • HAND OPERATED QUICK RELEASE LOWERING LEVER	UNIT	2		
B.14	BEG GALAS SPESIFIKASI : • WARNA: HITAM • WATERPROOF • SAIZ: 55CM X 35CM X 20CM (HXLXW) • CETAKAN PADA BEG (JENIS PATCH): ◦ LOGO MBIP ◦ JABATAN KESIHATAN AWAM MAJLIS BANDARAYA ISKANDAR PUTERI - 6 UNIT ◦ JABATAN PELESENAN MAJLIS BANDARAYA ISKANDAR PUTERI - 5 UNIT	UNIT	11		
B.15	REPLACEMENT SET FOR KW-TRIO (NO. 09520) SPESIFIKASI : • KOD: 01300214 • REPLACEMENT CUTTER SET FOR 09520 • 2 CUTTERS AND 4 DISCS IN A PACK	UNIT	6		
JUMLAH KESELURUHAN (BIL B)					