PERKHIDMATAN PENYEWAAN DAN PENYELENGGARAAN MESIN FOTOSTAT DAN MESIN PENCETAK PELAN UNTUK KEGUNAAN KAKITANGAN MAJLIS BANDARAYA ISKANDAR PUTERI BAGI TEMPOH LIMA (5) TAHUN

SPESIFIKASI TEKNIKAL

BIL.	BAHAGIAN	MUKA SURAT
A	**BAHAGIAN A : SEWAAN MESIN FOTOSTAT DAN MESIN PENCETAK PELAN**	2/% P%

DIJANA OLEH -
11.11.2026

<table>
<tr><th>BIL.</th><th>SPESIFIKASI</th><th>YA</th><th>TIDAK</th><th>CATATAN</th></tr>
<tr><td>A</td><td>BAHAGIAN A : SEWAAN MESIN FOTOSTAT DAN MESIN PENCETAK PELAN</td><td></td><td></td><td></td></tr>
<tr><td>A.1</td><td>MESIN FOTOSTAT MEDIUM DUTY
<table>
<tr><td>1.</td><td>Copy/Print Speed</td><td>-</td><td>35 ppm or above</td></tr>
<tr><td>2.</td><td>Core Function</td><td>-</td><td>Print, Copy, Scan, Send & Optional Fax</td></tr>
<tr><td>3.</td><td>Memory</td><td>-</td><td>4GB or above</td></tr>
<tr><td>4.</td><td>Colour Capability</td><td>-</td><td>Full Colour</td></tr>
<tr><td>5.</td><td>Control Panel</td><td>-</td><td>10.1" or above Colour Touch Screen Tilting Display</td></tr>
<tr><td>6.</td><td>Warm-up time</td><td>-</td><td>Approx. 20 seconds or less</td></tr>
<tr><td>7.</td><td>Print Resolution</td><td>-</td><td>1,200 x 2,400 dpi</td></tr>
<tr><td>8.</td><td>Scan Resolution</td><td>-</td><td>600 x 600 dpi</td></tr>
<tr><td>9.</td><td>Max. Original Size</td><td>-</td><td>A3</td></tr>
<tr><td>10.</td><td>Number of trays</td><td>-</td><td>3 or more (inlcuding bypass tray)</td></tr>
<tr><td>11.</td><td>Paper Size</td><td>-</td><td>SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R</td></tr>
<tr><td>12.</td><td>Paper Weight</td><td>-</td><td>52 to 300 gsm</td></tr>
<tr><td>13.</td><td>Paper Output Capacity</td><td>-</td><td>Standard 1,200 Sheets/Max. 3,200 Sheets</td></tr>
<tr><td>14.</td><td>Feeder Capacity</td><td>-</td><td>Approx. 100 sheets with automatic dual scan feeder</td></tr>
<tr><td>15.</td><td>Reduction / Enlargement</td><td>-</td><td>25% to 400%</td></tr>
<tr><td>16.</td><td>Machine Dimensions</td><td>-</td><td>Approx. W 577 x D 671 x H 785 mm</td></tr>
<tr><td>17.</td><td>Machine Weight</td><td>-</td><td>Less than 90kg</td></tr>
</table></td><td></td><td></td><td></td></tr>
<tr><td>A.2</td><td>MESIN FOTOSTAT HEAVY DUTY
<table>
<tr><td>1.</td><td>Copy/Print Speed</td><td>-</td><td>50 ppm or above</td></tr>
<tr><td>2.</td><td>Core Function</td><td>-</td><td>Print, Copy, Scan, Send & Optional Fax</td></tr>
<tr><td>3.</td><td>Memory</td><td>-</td><td>5GB or above</td></tr>
<tr><td>4.</td><td>Colour Capability</td><td>-</td><td>Full Colour</td></tr>
<tr><td>5.</td><td>Control Panel</td><td>-</td><td>10.1" or above Colour Touch Screen Tilting Display</td></tr>
<tr><td>6.</td><td>Warm-up time</td><td>-</td><td>Approx. 30 seconds or less</td></tr>
<tr><td>7.</td><td>Print Resolution</td><td>-</td><td>1,200 x 2,400 dpi</td></tr>
<tr><td>8.</td><td>Scan Resolution</td><td>-</td><td>600 x 600 dpi</td></tr>
<tr><td>9.</td><td>Max. Original Size</td><td>-</td><td>A3</td></tr>
<tr><td>10.</td><td>Number of trays</td><td>-</td><td>4 or more (inlcuding bypass tray)</td></tr>
<tr><td>11.</td><td>Paper Size</td><td>-</td><td>SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R</td></tr>
<tr><td>12.</td><td>Paper Weight</td><td>-</td><td>52 to 300 gsm</td></tr>
<tr><td>13.</td><td>Paper Output Capacity</td><td>-</td><td>Standard 2,280 Sheets/Max. 4,780 Sheets</td></tr>
<tr><td>14.</td><td>Feeder Capacity</td><td>-</td><td>Approx. 200 sheets with automatic dual scan feeder</td></tr>
<tr><td>15.</td><td>Reduction / Enlargement</td><td>-</td><td>25% to 400%</td></tr>
<tr><td>16.</td><td>Machine Dimensions</td><td>-</td><td>Approx. W 658 x D 790 x H 1,169 mm</td></tr>
<tr><td>17.</td><td>Machine Weight</td><td>-</td><td>Less than 120 kg</td></tr>
</table></td><td></td><td></td><td></td></tr>
<tr><td>A.3</td><td>MESIN FOTOSTAT HIGH HEAVY DUTY
<table>
<tr><td>1.</td><td>Copy/Print Speed</td><td>-</td><td>75 ppm or above</td></tr>
<tr><td>2.</td><td>Core Function</td><td>-</td><td>Print, Copy, Scan, Send & Optional Fax</td></tr>
<tr><td>3.</td><td>Memory</td><td>-</td><td>6GB or above</td></tr>
<tr><td>4.</td><td>Colour Capability</td><td>-</td><td>Full Colour</td></tr>
<tr><td>5.</td><td>Control Panel</td><td>-</td><td>10.1" or above Colour Touch Screen Tilting Display</td></tr>
<tr><td>6.</td><td>Warm-up time</td><td>-</td><td>Approx. 30 seconds or less</td></tr>
<tr><td>7.</td><td>Print Resolution</td><td>-</td><td>1,200 x 2,400 dpi</td></tr>
<tr><td>8.</td><td>Scan Resolution</td><td>-</td><td>600 x 600 dpi</td></tr>
<tr><td>9.</td><td>Max. Original Size</td><td>-</td><td>A3</td></tr>
<tr><td>10.</td><td>Number of trays</td><td>-</td><td>4 or more (inlcuding bypass tray)</td></tr>
<tr><td>11.</td><td>Paper Size</td><td>-</td><td>SRA3, A3, A4, A4R, A5, A5R, A6, A6R, B4, B5, B5R</td></tr>
<tr><td>12.</td><td>Paper Weight</td><td>-</td><td>52 to 300 gsm</td></tr>
<tr><td>13.</td><td>Paper Output Capacity</td><td>-</td><td>Standard 2,280 Sheets/Max. 4,780 Sheets</td></tr>
<tr><td>14.</td><td>Feeder Capacity</td><td>-</td><td>Approx. 300 sheets with automatic dual scan feeder</td></tr>
<tr><td>15.</td><td>Reduction / Enlargement</td><td>-</td><td>25% to 400%</td></tr>
<tr><td>16.</td><td>Machine Dimensions</td><td>-</td><td>Approx. W 658 x D 790 x H 1,169 mm</td></tr>
<tr><td>17.</td><td>Machine Weight</td><td>-</td><td>Less than 140 kg</td></tr>
</table></td><td></td><td></td><td></td></tr>
</table>

BIL.	SPESIFIKASI	YA	TIDAK	CATATAN
A.4	**MESIN PENCETAK PELAN**			

1.	***Copy/Print Speed***	-	170/hr, 19.3/sec (A1) or less
2.	***Copy Process/ Type***	-	Dye-based (C, M, Y, pK, G)/ pigment-based (mK)
3.	***Memory***	-	128GB
4.	***Colour Capability***	-	Full Colour
5.	***Control Panel***	-	15.6" or above Colour Touch Screen Tilting Display
6.	***Warm-up time***	-	Approx. 20 seconds or less
7.	***Print Resolution***	-	2,400 x 1,200 dpi
8.	***Max. Original Size***	-	A0
9.	***Paper Size***	-	A4, A3, A2, A1, A0
10.	***Paper Output Capacity***	-	Roll: 3 x 3 x 3 x 3 mm Sheet: 3 x 22 x 3 x 3 mm
11.	***Reduction / Enlargement***	-	25% to 400%
12.	***Machine Dimensions***	-	Approx. 1390 x 760 x 1240 mm
13.	***Machine Weight***	-	Less than 200 kg